



UltraSnap™ | Surface ATP Test

UltraSnap is a user-friendly ATP surface test designed for use with Hygiena luminometers. This all-in-one test contains a pre-moistened swab bud for optimal sample recovery. A unique liquid-stable reagent that provides superior reproducibility and robustness and Hygiena's patented Snap-Valve™ technology for easy activation.

Benefits:

- Pre-wetted swab maximizes sample recovery and breaks through biofilm
- Unique liquid-stable reagent gives superior sensitivity and reliable results
- 100% recyclable plastic
- 15 month shelf life at refrigerated temperatures (2 -8°C)
- 4 week shelf life at room temperatures (21 -25°C)
- Costs up to 50% less than other ATP test devices

Sensitivity:

Hygiena System	UltraSnap Detection Limit				
femtomoles ATP	10 fmol	1 fmol	.1 fmol	.01 fmol	.001 fmol
ATP (mol)	1×10^{-14}	1×10^{-15}	1×10^{-16}	1×10^{-17}	1×10^{-18}
SystemSURE Plus	● ● ● ●				
EnSURE	● ● ● ● ● ●				
Pi-102	● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●				



Watch an instructional demo at youtube.com/HygienaTV




Find support documents, instructional videos, and more at www.hygiena.com

Performance:


UltraSnap's superior performance was validated in a third party study conducted by a large reference laboratory. In addition to superior repeatability (Diagram 1), Hygiena's system demonstrated outstanding performance for linearity, sensitivity, and accuracy. Learn more at www.hygiena.com or contact Hygiena for a full copy of the study.

Repeatability: Variability in results with the same sample



Catalog No.	Description	Quantity
US2020	UltraSnap Surface ATP Test	100

UltraSnap Procedure:



Related Products:



SystemSURE Plus

SystemSURE Plus is used for ATP hygiene monitoring. This palm-sized instrument is easy to use, extremely sensitive and affordable, allowing users to quickly determine the cleaning efficiency and hygienic status of surfaces and liquid samples to ensure product quality and reduce costs.



EnSURE

EnSURE is a high-sensitivity luminometer that measures multiple quality tests such as ATP, TVC, Coliform, *E. coli* and more all on one system. The monitoring system includes SureTrend data tracking software.



AquaSnap

AquaSnap measures ATP found in liquid samples, utilizing a honeycomb dipper to consistently collect 100 µl of liquid sample. The device uses a liquid-stable reagent in place of freeze-dried enzymes giving it superior reproducibility and sensitivity. AquaSnap is available in Total and Free format.



SuperSnap

SuperSnap is the most sensitive ATP surface test in Hygiena's ATP hygiene monitoring portfolio of all-in-one devices. Designed to work with all Hygiena luminometers, SuperSnap is an all-in-one test which detects extremely low levels of ATP. SuperSnap is predominantly used in food and beverage processing facilities as an allergen cross contamination prevention.

Catalog No.	Description	Quantity
SS3	SystemSure Plus ATP Monitoring System with SureTrend Software	1
ENSURE	EnSURE Monitoring System with SureTrend Software	1
AQ-100X	AquaSnap Free Water ATP Test	100
AQ-100FX	AquaSnap Total Water ATP test	100
SUS3000	SuperSnap	100



AquaSnap® | Water ATP Tests



AquaSnap® is an easy-to-use ATP test for water samples available in two formats: Total and Free. The test device's unique liquid-stable chemistry, combined with its proprietary test design, offers unrivaled accuracy and reproducibility. The devices are often used for monitoring CIP systems and for industrial water treatment systems such as cooling towers and closed water systems.

Benefits

- Easy to use
- Results in 15 seconds
- Free and Total formats used to reliably and easily indicate microbial contamination in sample
- Proprietary test design enables accurate results with less variation
- Unique liquid-stable reagent provides accuracy and reproducibility
- Reagent is tolerant to temperature abuse and sanitizer effects
- Honey dipper collection tip collects consistent 100 µl sample
- 100% recyclable plastic


Sensitivity

- Extremely sensitive- detects down to 0.1 femtomoles ATP with EnSURE® Touch Monitoring System
- Detects down to 1,000 CFU



Catalog No.	Description	Quantity
AQ-100X	AquaSnap Total Water ATP Test	100
AQ-100FX	AquaSnap Free Water ATP Test	100

AquaSnap Procedure




See an instructional demo at [HygienaTV](#) or [HygienaTV](#)

Related Products

EnSURE Touch Monitoring System

EnSURE Touch is the next-generation quality monitoring system. It provides rapid and accurate sanitation verification to support your food safety program. EnSURE Touch features a 5" touch screen, wireless sync technology, and cloud-based software. EnSURE Touch is designed to adapt to your workplace, providing the data you need for complex multi-location supply chain monitoring, audit and risk management, and recall prevention.



SuperSnap® High Sensitivity Surface ATP Test

SuperSnap is the most sensitive ATP surface test in Hygiena's ATP hygiene monitoring portfolio of all-in-one devices. Designed to work with all Hygiena luminometers, SuperSnap is an all-in-one test which detects extremely low levels of ATP. SuperSnap is predominantly used in food and beverage processing facilities as an allergen cross contamination prevention.




UltraSnap® Surface ATP Test

UltraSnap is a user-friendly ATP surface test designed for use with Hygiena luminometers. This all-in-one test contains a pre-moistened swab bud for optimal sample recovery. A unique liquid-stable reagent provides superior reproducibility and robustness. Hygiena's patented Snap-Valve technology facilitates easy activation.



MicroSnap® Indicator Organism Test Kits

MicroSnap is a rapid test for detection and enumeration of specific bacteria. Results are available in the same working day or shift. MicroSnap is available in four formats: Total, *Enterobacteriaceae*, Coliform, and *E. coli*.



Catalog No.	Description	Quantity
ETOUCH	EnSURE Touch Monitoring System	1
SUS3000	SuperSnap High Sensitivity ATP Test	100
US2020	UltraSnap Surface ATP Test	100
SUS3000	SuperSnap High Sensitivity ATP Test	100
MS2-EB	MicroSnap EB Detection Device	100
MS2-ECOLI	MicroSnap <i>E. coli</i> Detection Device	100
MS2-COLIFORM	MicroSnap Coliform Detection Device	100
MS2-TOTAL	MicroSnap Total Detection Device	100



SuperSnap™ | High Sensitivity ATP

SuperSnap is the most sensitive ATP test in Hygiena's line of ATP devices. Designed to work with all Hygiena luminometers, SuperSnap detects extremely low levels of ATP. The test is used predominantly in food and beverage manufacturing where the highest standards of hygiene are required. SuperSnap reagents are formulated for superior resistance to sanitizer effects, making it an ideal ATP test when dealing with harsh environments or difficult samples. By incorporating SuperSnap into a food safety program, risks and issues are recognized in real time so corrective action can be implemented before product change-overs occur.

Benefits:

- Patented device design ensures maximum sample collection and recovery
- More sensitive liquid stable reagent detects very small amounts of ATP
- Robust reagent is resistant to sanitizer effects and temperature abuse
- 100% recyclable plastic
- 15 month shelf life at refrigerated temperatures (2-8°C)
- 4 week shelf life at room temperature (21-25°C)

Sensitivity:


- 4 times more sensitive than UltraSnap Surface ATP Tests
- 100 times more sensitive than other systems on the market when used with EnSURE monitoring system
- 5 times more resistant to acid based sanitizers
- 10 times more resistant to alkali based sanitizers



Watch an instructional demo at youtube.com/HygienaTV




Find support documents, instructional videos, and more at www.hygiena.com



Catalog No.	Description	Quantity
SUS3000	SuperSnap	100

SuperSnap Procedure:



Related Products:



EnSURE

EnSURE is a high-sensitivity luminometer that measures multiple quality tests such as ATP, TVC, Coliform, *E. coli* and more all on one system. The EnSURE monitoring system includes SureTrend data tracking software.



SystemSURE Plus

SystemSURE Plus is used for ATP hygiene monitoring. This palm-sized instrument is easy to use, extremely sensitive and affordable, allowing users to quickly determine the cleaning efficiency and hygienic status of surfaces and water, ensure product quality, and reduce costs.



AquaSnap

AquaSnap measures ATP found in liquid samples, utilizing a honeycomb dipper to consistently collect 100 µl of liquid sample. The device uses a liquid-stable reagent in place of freeze-dried enzymes giving it superior reproducibility and sensitivity. AquaSnap is available in Total and Free format.



UltraSnap

UltraSnap measures ATP found on surfaces. ATP is found in organic matter from all living organisms and should be significantly reduced after cleaning. Monitoring ATP provides an instant and objective measurement of cleaning efficiency.

Catalog No.	Description	Quantity
ENSURE	EnSURE Monitoring System	1
SS3	SystemSURE Plus ATP Monitoring System	1
AQ-100F	AquaSnap Free Water ATP Test	100
AQ-100FX	AquaSnap Total Water ATP Test	100
US2020	UltraSnap Surface ATP Swab	100